





Hawk M Hardware Datasheet







Stand-Alone Device & Independent Operation

It is a standalone monitoring system which works as D(evice)-aaS.

Therefore, neither third party PC/device/integration/ Hardware nor external application software(s) is required. Easy to set-up, operate, and maintain. For advance features accessories component are available. Check Here **BuZZ**-ard (An EMS- Environmental Monitoring System Rack- Bug device).

***** Compatibility Matrix for different model

✓ Product (Hawk) [®]		M (Premium)	
 Configuration difference 	P1L2x32	P1L2x64	P2L2x64
o RAM	32 GB	32 /64 GB	64 GB
 Processing platform 	Intel	Intel / AMD	Intel / AMD
✓ Storage platform	M.2 SATA	M.2 NVMe	M.2 NVMe
 Base Platform to run (environment) 	Linux (Inbuilt)	Linux (Inbuilt)	Linux (Inbuilt)
✓ Accessories supported	Yes	Yes	Yes
✓ Power	Single	Single	Dual
✓ Hosts	Upto 600*	Upto 1000*	Upto 1000*
 Additional Software / Third party Integration 		Not Required	
 ✓ Additional Hardware accessories (***) 	Yes (Additi	Yes (Additional Accessories – Optional like BUzz)*	
 ✓ Browser Supports (Firefox, Chrome, IE, Opera, Safari) and all major resolutions (IOT Devices, Video Wall, NOC Wall, Large monitor, Multi-monitor, Desktop, Projection) 	YES		
 Operating Systems compatibility 	Inbuilt		
	3		







	Windows Client supported	YES
	Linux Client supported	YES
	• Virtual Machines / Hypervisors supported	YES
√	Reports and Formats (Excel (csv), PDF, JSON/XML)	YES
\checkmark	Alerts / Alarms (SMS*#, Email, Web-Console)	YES
\checkmark	Auto Hawk Mode (AI & ML Based)	No (But support through X)
¹ If device manufacturer OEM is partner for akus ITs or our authorized accessories. Please check your model accessories in website section. You can contact our sales professional assigned.		

** Additional *** Optional *# Third party services will be required.

Unified NMS Features

Product: (Hawk)	Premium
Software Version	HMV22.01
 ✓ DCIM (Assets and Inventory) / Inventory Management System 	YES DCIM
 EMS Environment Monitoring System 	YES (BUzz)
✓ IP Camera	YES (Stream & Record)
 CCTV Monitoring System dashboard 	YES (Web-Console Only)
 MMS (Network Management System) 	YES
 Monitoring Solutions 	YES
 Network – NMS(Monitoring & Mgmt) 	YES
 System – (Server, Chassis, and VMs) 	YES
 Applications performance – APM 	YES
 Websites Performance – WPM 	YES
 Database Performance – DBM 	YES
 Storage (Capacity) Monitoring – SCM 	YES
 Reports / Audit Reports 	YES
 Alerts / Alarms / Notifications 	YES
✓ CPU Utilisation	YES

4







✓ Memory Utilisation	YES
✓ Storage Consumptions	YES
✓ Network Utilisation	YES
✓ Power Usage Efficiency	YES
✓ Stacking & Replication	YES
✓ SSL Certificate Mgmt	YES
✓ Backup & Restore (Central Location)	YES
✓ Personalise Monitoring	YES
✓ View Theme (Day / Night)	YES

Protocols

Product (Hawk)	M (Premium)
IEEE, IANA, IETF, DMTF – SNIA, MMUSIC WG,	YES
 Native Monitoring Protocols 	YES
 Standard Management Protocols 	YES
International Standard Hign-End Compliance	YES
Certified BSI, QCI, ISO 9001:2015, CE, FC compliant components	YES

Version Information

Version	HV22.01
Hardware / Software	







Other Useful Information

Product	Keypoints
Hawk	Device - Network Monitoring Software (NMS) – All in All Solution for IT Infrastructure
Suitable (available for all categories)- Multi Vendor & Multi Protocols Compatible	M (Premium) - Small scale to Mid scale Industry
Model	P1L2x32 (Small Business) & P1L2x64, P2L2x64 (Dual Power) (Medium size Businesses)
Accessories	Support BuZZ (EMS: Rack-Bug)
Туре	Nationwide Standalone Device with NMS Software Inbuilt – Web based Console
Modules of Network Monitoring Software	SNMP* Monitoring, Netconf, Restconf, SSH (TLS/SSL), APIs, Netflow, Syslog, NCM, ACIM, Physical host monitoring, rDCIM, APM, DBM, WSM
Types of License	Perpetual*
Agent (No additional cost)	Available in Agent less or Agent full both
Redundancy Power	Internal Redundancy for dual power (1U & 2U as per PSU options)
Mounting	Standard 19" Rack L-Shape Bracket (Included) Wall –(*backpanel holder supported) (On request Only) Stand mounting – (*Stand) (On request Only)
Power Supply	1.2Volts (Rack C13 PDU - 6 Amp Three Pin socket)) (Included)
Environment Temperature	Standard cooling temperature of DC / Room Temperature
Scope of Installation	24 months support (Administration excluded)
Training Options	On-site (1 Day), Virtual, Videos, Tutorial Documents, Admin Guide (Black Book), Slides etc. (Check with Presales team for On-site availability <mark>here</mark>)

Device Info and integrated functions







Additional Details	Description I	Description II
Domain / Type	Device (IoT Enabled)- Network Monitoring Software (NMS) – All in All Solution for IT Infrastructure	NMS, DCIM(ITIM AMS), APM, WPM, EMS, VMS, DBMS, SCM Control & Monitoring Services and many more
Modules	Network Monitoring System, Network Management System, DCIM {Data Center(s) Inventory / assets Management (ITIM AMS) }, APM – Application Performance Monitoring, Websites Performance Monitoring, Environment Monitoring System, Video (CCTV) Monitoring System, DBMS- Database Monitoring System, SCM –Storage Control & Monitoring Services, Reports, and Audits. Auto discovers hosts.	Suitable for : Home IT office, IT Room, Server room, Computer Room, Server hall, NOC, NAC, Integrated Command and Control Centers, Datacenters (Tier2, 3, and 4), distributed IT Infrastructure, Nationwide, hybrid and cloud IT etc.
Туре	Standalone Device with Inbuilt Software and Web based Console	(No Additional Hardware or Software required)**
Country Origin	Make in India	
Model / Part No	Hawk (V22.01)	
Software Description	HMV 22.01	
Software Version & Date of Launch of Version	HMV 01.01.2022	
Web-Console Resolution	Supported FHD (<1920 x 1080) to 4K (3840 x 2160>)	Check Series and model
Licence Delivery Mode and upgrade	Electronic License (Offline / Online)	Upgrade (Through Electronic medium like DVD, Flash, USB, etc.)
Platform type	IoT Hardware –Plug and Play Device with Web based console management and monitoring	
Hosting &Deployement	Client's Private Cloud, Shared, Co-Location or On Premises (Rack Mount, Wall Mount , and Stand Mount)	










Download Data sheet

URL: www.akus.io/hawk/Hardware_datasheet/

Visit us: www.akus..io Write us: Connect@akus.io, Sales@akus.io



FAQ (Frequently asked Questions) and Quick links		
Check our latest products	CHECK NOW HERE	
Other relevant products in the categories	CHECK NOW HERE	
Download Bulk import and export data	See Bulk IO HERE	
Contact for PUC and Demo	(India) <u>sales@akus.co.in,</u> (Global) <u>sales@akus.io</u>	
Admin Guide PDF	Black Book: Download HERE	
Contact Technical Support	support@akus.io & (Toll Free): 1800 309 9987 / RMA	

Disclaimer: All content of this document belongs to aKus ITs. Copyright 2022 akus IT solutions pvt ltd. For sharing and use, write us: connect@akus.io



